

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/017,500	12/14/2001	Motasim Sirhan	020460-001000US	5626
20350	7590 05/12/2005		EXAMINER	
TOWNSEND AND TOWNSEND AND CREW, LLP			PHAN, HIEU	
	ARCADERO CENTER		ART UNIT	PAPER NUMBER
EIGHTH FL			ART ORT	- TAILER NOMBER
SAN FRANC	SAN FRANCISCO, CA 94111-3834		3738	
			DATE MAILED: 05/12/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

Su	oplemental
Notice	of Allowability

Application No.	Applicant(s)	
10/017,500	SIRHAN ET AL.	
Examiner	Art Unit	
Hieu Phan	3738	

.1

House of Anomability	Examiner	Art Unit					
	Hieu Phan	3738					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.							
1. 🔀 This communication is responsive to <u>a telephone call on 1</u>	<u>1/29/2004</u> .						
2. The allowed claim(s) is/are <u>77-86 and 106-126</u> .							
3. The drawings filed on are accepted by the Examine	г.						
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). 	been received. been received in Application No		tion from the				
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.							
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF				
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.							
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached							
1) hereto or 2) to Paper No./Mail Date							
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date							
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).							
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.							
Attachment(s)	C Mation of Informal D	atant Annliastian (DT)	2.452)				
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal P6. ☐ Interview Summary	* * * * * * * * * * * * * * * * * * * *	J-152)				
2. Notice of Draitperson's Faterit Drawing Review (F10-546)	Paper No./Mail Dat						
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. Examiner's Amendr	nent/Comment					
4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Stateme	ent of Reasons for Allo	wance				
of Biological Material	9. Other						
$\mathcal{O}(\mathcal{O}(\mathcal{O}(\mathcal{O}(\mathcal{O}(\mathcal{O}(\mathcal{O}(\mathcal{O}($							
CODDINE MADDEDMOTE							
CURRINE MCDERMOTT							

CORRINE McDERMOTT
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700